§ 114.550

Center may require engineering evaluations and tests to demonstrate the equivalence of the substitute.

- (b) The Commandant may accept compliance by a high speed craft with the provisions of the International Maritime Organization (IMO) "Code of Safety for High Speed Craft" as an equivalent to compliance with applicable requirements of this subchapter. Requests for a determination of equivalency for a particular vessel must be submitted to the Marine Safety Center.
- (c) The Commandant may approve a novel lifesaving appliance or arrangement as an equivalent if it has performance characteristics at least equivalent to the appliance or arrangement required under this part, and:
- (1) Is evaluated and tested under IMO Resolution A.520(13), "Code of Practice for the Evaluation, Testing and Acceptance of Prototype Novel Life-Saving Appliances and Arrangements"; or
- (2) Has successfully undergone an evaluation and tests that are substantially equivalent to those recommendations

[CGD 85-080, 61 FR 885, Jan. 10, 1996, as amended at 62 FR 51348, Sept. 30, 1997]

§114.550 Special consideration.

In applying the provisions of this subchapter, the OCMI may give special consideration to authorizing departures from the specific requirements when unusual circumstances or arrangements warrant such departures and an equivalent level of safety is provided. The OCMI of each marine inspection zone in which a vessel operates must approve any special consideration granted to the vessel.

§114.560 Appeals.

Any person directly affected by a decision or action taken under this subchapter, by or on behalf of the Coast Guard, may appeal therefrom in accordance with §1.03 in subchapter A of this chapter.

§114.600 Incorporation by reference.

(a) Certain material is incorporated by reference into this subchapter with the approval of the Director of the Federal Register in accordance with Title 5 United States Code (U.S.C.) 552(a) and Title 1 Code of Federal Regulations

(CFR) Part 51. To enforce any edition other than that specified in paragraph (b) of this section, the Coast Guard must publish a notice of change in the FEDERAL REGISTER and make the material available to the public. All approved material is on file at Coast Guard Headquarters. Contact Commandant (CG-OES), Attn: Office of Operating and Environmental Standards. U.S. Coast Guard Stop 7509, 2703 Martin Luther King Jr. Avenue SE., Washington, DC 20593-7509. The material is also available at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/ federal_register/
code_of_federal_regulations/

ibr_locations.html. All material is available from the sources indicated in paragraph (b) of this section.

(b) The material approved for incorporation by reference in this subchapter and the sections affected are:

American Boat and Yacht Council (ABYC)

613 Third Street, Suite 10, Annapolis, MD 21403

A-1-93—Marine Liquilled Petroleum	
Gas (LPG) Systems121.240)
A-3-93—Galley Stoves121.200)
A-7-70—Boat Heating Systems121.200)
A-22-93—Marine Compressed Natural	
Gas (CNG) Systems121.240)
H-25-94—Portable Gasoline Fuel Sys-	
tems for Flammable Liquids119.458	3
P-1-93—Installation of Exhaust Sys-	
tems for Propulsion and Auxiliary	
Engines116.405; 119.425; 119.430)

American Bureau of Shipping (ABS)

ABS Plaza, 16855 Northchase Drive, Houston, TX 77060

Rules for Building and Classing Alu-
minum Vessels, 1975116.300
Rules for Building and Classing Steel
Vessels, 1995119.410; 120.360
Rules for Building and Classing Steel
Vessels Under 61 Meters (200 Feet)
in Length, 1983116.300
Rules for Building and Classing Steel
Vessels for Service on Rivers and
Intracoastal Waterways, 1995116.300
Guide for High Speed Craft, 1997116.300

American National Standards Institute (ANSI)

11 West 42nd Street, New York, NY 10036
A 17.1–1984, including supplements A
17.1a and b–1985—Safety Code for
Elevators and Escalators......120.540

Coast Guard, DHS § 114.600

B 31.1-1986—Code for Pressure Piping,	International Maritime Organization (IMO)
Power Piping	International Maritime Organization, Publi-
Z 26.1-1977, including 1980 supple-	cations Section, 4 Albert Embankment
ment—Safety Glazing Materials	London SE1 7SR United Kingdom
For Glazing Motor Vehicles Operating on Land Highways116.1030	Code of Practice for the Evaluation,
ading on Dana Inghways	Testing and Acceptance of Proto-
American Society for Testing and Materials	type Novel Life-Saving Appliances
(ASTM)	and Arrangements—Resolution
100 Barr Harbor Drive, West Conshohocken,	A.520(13), dated 17 November 1983
PA 19428–2959	
ASTM B 96-93, Standard Specification	Use and Fitting of Retro-Reflective
for Copper-Silicon Alloy Plate,	Materials on Life-Saving Appli-
Sheet, Strip, and Rolled Bar for	ances, Resolution A.658(16), dated
General Purposes and Pressure	20 November 1989
Vessels119.440	of Bedding Components, Resolu-
ASTM B 117–97, Standard Practice for	tion A.688(17) dated 06 November
Operating Salt Spray (Fog) Appa-	1991
ratus	Symbols Related to Life-Saving Appli-
ASTM B 122/B 122M-95, Standard Specification for Copper-Nickel-Tin	ances and Arrangements, Resolu-
Alloy , Copper-Nickel-Zinc Alloy	tion A.760(18) dated 17 November
(Nickel Silver), and Copper-Nickel	1993122.604(g)
Alloy Plate, Sheet, Strip, and	N. C. A. T. D. C. C. A. C. CHEDA)
Rolled Bar119.440	National Fire Protection Association (NFPA)
ASTM B 127–98, Standard Specifica-	1 Batterymarch Park, Quincy, MA 02269-9101
tion for Nickel-Copper Alloy (UNS	NFPA 10-1994—Portable Fire Extin-
NO4400) Plate, Sheet, and Strip119.440	guishers115.810
ASTM B 152–97a, Standard Specifica-	NFPA 13-1996—Installation of Sprin-
tion for Copper Sheet, Strip, Plate, and Rolled Bar119.440	kler Systems116.439
ASTM B 209–96, Standard Specifica-	NFPA 17-1994—Dry Chemical Extin-
tion for Aluminum and Alu-	guishing Systems
minum-Alloy Sheet and Plate119.440	NFPA 17A-1994—Wet Chemical Extin-
ASTM D 93-97, Standard Test Methods	guishing Systems118.425 NFPA 70–1996—National Electrical
for Flash Point by Pensky-	Code (NEC)
Martens Closed Cup Tester114.400	Section 250–95
ASTM D 635-97, Standard Test Method	Section 310–13
for Rate of Burning and/or Extent	Section 310–15
and Time of Burning of Plastics in a Horizontal Position119.440	Article 430
ASTM D 2863–95, Standard Test Meth-	Article 445120.320
od for Measuring the Minimum	NFPA 92B-1995—Smoke Management
Oxygen Concentration to Support	Systems in Malls, Atria, and Large
Candle-like Combustion of Plas-	Areas116.440
tics (Oxygen Index)119.440	NFPA 261–1994—Test For Determining
ASTM E 84–98, Standard Test Method	Resistance of Mock-up Uphol-
for Surface Burning Characteris-	stered Furniture Material Assem- blies to Ignition by Smoldering
tics of Building Materials116.405;	Cigarettes114.400; 116.423
116.422; 116.423 ASTM E 648–97, Standard Test Method	NFPA 302–1994—Pleasure and Commer-
for Critical Radiant Flux of Floor-	cial Motor Craft, Chapter 6121.200
Covering Systems Using a Radiant	121.240
Heat Energy Source114.400; 116.423	NFPA 306-1993—Control of Gas Haz-
ASTM E 662-97, Standard Test Method	ards on Vessels115.710
for Specific Optical Density of	NFPA 701–1996—Fire Tests For Flame-
Smoke Generated by Solid Mate-	Resistant Textiles and Films116.423
rials114.400; 116.423	NFPA 1963–1993—Fire Hose Connec-
Institute of Electrical and Electronics	tions118.320
Engineers, Inc. (IEEE)	Underwriters Laboratories Inc. (UL)
IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854	12 Laboratory Drive, Research Triangle Park, NC 27709
· · · · · · · · · · · · · · · · · · ·	
Standard 45–1977—Recommended Prac- tice for Electrical Installations on	UL 19–1992—Lined Fire Hose and Hose Assemblies118.320
Shipboard120.340	UL 174–1989, as amended through June

§ 114.800

23, 1994—Household Electric Storage Tank Water Heaters	99 1004 Household Electric Step
UL 486A-1992—Wire Connectors and Soldering Lugs For Use With Copper Conductors	
Soldering Lugs For Use With Copper Conductors	
UL 489-1995—Molded-Case Circuit Breakers and Circuit Breaker Enclosures	Soldering Lugs For Use With Cop-
Breakers and Circuit Breaker Enclosures	per Conductors120.340
Closures	
UL 595-1991—Marine Type Electric Lighting Fixtures	
Lighting Fixtures	III. 595–1991—Marine Tyne Electric
UL 710–1990, as amended through September 16, 1993—Exhaust Hoods For Commercial Cooking Equipment	Lighting Fixtures120.410
tember 16, 1993—Exhaust Hoods For Commercial Cooking Equipment	UL 710-1990, as amended through Sep-
ment	tember 16, 1993—Exhaust Hoods
UL 723-1993, as amended through April 20, 1994—Surface Burning Characteristics of Building Materials114.400; 116.422; 116.423; 116.425 UL 1056-1989—Fire Test of Upholstered Furniture	
20, 1994—Surface Burning Characteristics of Building Materials	
teristics of Building Materials	
UL 1056-1989—Fire Test of Upholstered Furniture	
Furniture	
UL 1058-1989, as amended through April 19, 1994—Halogenated Agent Extinguishing System Units	
Extinguishing System Units	Furniture
Extinguishing System Units	April 19. 1994—Halogenated Agent
Fuel Tanks	Extinguishing System Units118.410
UL 1104–1981, as amended through May 4, 1988—Marine Navigation Lights	UL 1102–1992—Non integral Marine
4, 1988—Marine Navigation Lights	Fuel Tanks
UL 1110-1988, as amended through May 16, 1994—Marine Combustible Gas Indicators	
16, 1994—Marine Combustible Gas Indicators	UL 1110–1988, as amended through May
UL 1453-1988, as amended through June 7, 1994—Electric Booster and Commercial Storage Tank Water Heaters	16, 1994—Marine Combustible Gas
June 7, 1994—Electric Booster and Commercial Storage Tank Water Heaters	
Commercial Storage Tank Water Heaters	
Heaters	Commercial Storage Tank Water
Fixtures	Heaters
UL 1571-1995—Incandescent Lighting Fixtures	UL 1570-1995—Fluorescent Lighting
Fixtures	
UL 1572-1995—High Intensity Discharge Lighting Fixtures	
charge Lighting Fixtures	UL 1572–1995—High Intensity Dis-
ing Units	charge Lighting Fixtures120.410
UL 1574–1995—Track Lighting Systems	
[CGD 85-080, 61 FR 885, Jan. 10, 1996, as amended by CGD 96-041, 61 FR 50730, Sept. 27, 1996; CGD 97-057, 62 FR 51047, Sept. 30, 1997; CGD 85-080, 62 FR 51348, Sept. 30, 1997; USCG	
[CGD 85-080, 61 FR 885, Jan. 10, 1996, as amended by CGD 96-041, 61 FR 50730, Sept. 27, 1996; CGD 97-057, 62 FR 51047, Sept. 30, 1997; CGD 85-080, 62 FR 51348, Sept. 30, 1997; USCG	UL 1574–1995—Track Lighting Systems
amended by CGD 96-041, 61 FR 50730, Sept. 27, 1996; CGD 97-057, 62 FR 51047, Sept. 30, 1997; CGD 85-080, 62 FR 51348, Sept. 30, 1997; USCG	
1996; CGD 97-057, 62 FR 51047, Sept. 30, 1997; CGD 85-080, 62 FR 51348, Sept. 30, 1997; USCG	[CGD 85-080, 61 FR 885, Jan. 10, 1996, as
CGD 85-080, 62 FR 51348, Sept. 30, 1997; USCG	1996: CGD 97-057 62 FR 51047 Sept. 30 1997
1999-5151, 64 FR 67182, Dec. 1, 1999; USCG-	CGD 85-080, 62 FR 51348, Sept. 30, 1997; USCG
0000 FF00 OF FD F0400 C+ 00 0000 FF000	1999-5151, 64 FR 67182, Dec. 1, 1999; USCG-
2000-7790, 65 FR 58462, Sept. 29, 2000; USCG-	2000-7790, 65 FR 58462, Sept. 29, 2000; USCG-
2009-0702, 74 FR 49234, Sept. 25, 2009; USCG-	2009-0702, 74 FR 49234, Sept. 25, 2009; USCG-
2009-0702, 74 FR 49234, Sept. 25, 2009; USCG-2010-0759, 75 FR 60003, Sept. 29, 2010; USCG-2012-0832, 77 FR 59781, Oct. 1, 2012; USCG-	2012-0832, 77 FR 59781, Oct. 1, 2012; USCG-

§ 114.800 Approved equipment and material.

2013-0671, 78 FR 60153, Sept. 30, 2013]

(a) Equipment and material that is required by this subchapter to be approved or of an approved type, must have been manufactured and approved in accordance with the design and testing requirements in subchapter Q (Equipment, Construction, and Mate-

rials: Specifications and Approval) of this chapter or as otherwise specified by the Commandant.

(b) Coast Guard publication COMDTINST M16714.3 (Series) "Equipment Lists, Items Approved, Certificated or Accepted under Marine Inspection and Navigation Laws," lists approved equipment by type and manufacturer. COMDTINST M16714.3 (Series) may be obtained from New Orders, Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954.

[CGD 85–080, 61 FR 885, Jan. 10, 1996, as amended at 62 FR 51348, Sept. 30, 1997]

§114.900 OMB control numbers.

(a) Purpose. This section lists the control numbers assigned to information collection and recordkeeping requirements in this subchapter by the Office of Management and Budget (OMB) pursuant to the Paperwork Reduction Act of 1980 (44 U.S.C. 3501 et. seq.). The Coast Guard intends that this section comply with the requirements of 44 U.S.C. 3507(f), which requires that agencies display a current control number assigned by the Director of OMB for each approved agency information collection requirement.

(b) Display.

46 CFR Section where identified and described	Current OMB Control No.
115.105(a)	1625-0057
115.202	1625-0057
115.204	1625-0057
115.302	1625-0057
115.306	1625-0057
115.310	1625-0057
115.500(a)	1625-0057
115.612	1625–0057
115.700	1625–0057
115.704	1625–0057
115.710	1625–0057
115.810(b)	1625–0057
115.920(c)	1625–0057
115.930	1625–0057
116.202	1625–0057
116.330	1625–0057
116.340	1625–0057
116.520	1625–0057
116.530	1625–0057
116.610(f)	1625–0057
120.220(d)	1625–0057
120.320(d)	1625–0057
and (e)	
121.420	1625–0057
121.506	1625–0057
122.202	1625–0001
122.206	1625-0001
122.208	1625–0057
122.220	1625–0057